



ELECTRONIC SHELF LABEL

FOR RETAIL, WAREHOUSE, PRODUCTION, ETC.

2.13'' BWR

TECHNICAL DETAILS

Product Code	EA-21R
Communication Technology	2.4GHz Private Protocol
Transmission Range	Radius 30 m
Dimensions (mm)	70×35×12.9
Weight (g)	37
Display Technology	3 color E Ink Display
Active Display Area (mm)	48.55 × 23.70
Resolution (pixels)	250×128
Dot Matrix	Yes
Colors	Black/White/Red
Viewing Angle	Nearly 180°
Operating Temperature	0 - 40°C
Battery	CR2450×2
Battery Life Cycle	> 5 years
Waterproof Level	IPX65
Housing Color	White

SAMPLE PICTURE



2.66'' BWR

TECHNICAL DETAILS

Product Code	EA-26R
Communication Technology	2.4GHz Private Protocol
Transmission Range	Radius 30 m
Dimensions (mm)	85 × 42.5 × 12.9
Weight (g)	39.9
Display Technology	3 color E Ink Display
Active Display Area (mm)	60.08 × 30.74
Resolution (pixels)	296×152
Dot Matrix	Yes
Colors	Black/White/Red
Viewing Angle	Nearly 180°
Operating Temperature	0 - 40°C
Battery	CR2450×2
Battery Life Cycle	> 5 years
Waterproof Level	IPX65
Housing Color	White

SAMPLE PICTURE



2.9'' BWR

TECHNICAL DETAILS

Product Code	EA-29R
Communication Technology	2.4GHz Private Protocol
Transmission Range	Radius 30 m
Dimensions (mm)	90.5 × 44 × 12.9
Weight (g)	49
Display Technology	3 color E Ink Display
Active Display Area (mm)	66.85 × 29.10
Resolution (pixels)	296×128
Dot Matrix	Yes
Colors	Black/White/Red
Viewing Angle	Nearly 180°
Operating Temperature	0 - 40°C
Battery	CR2450×2
Battery Life Cycle	> 5 years
Waterproof Level	IPX65
Housing Color	White

SAMPLE PICTURE



3.52'' BWR

TECHNICAL DETAILS

Product Code	EA-35R
Communication Technology	2.4GHz Private Protocol
Transmission Range	Radius 30 m
Dimensions (mm)	98 × 60.3 × 12.9
Weight (g)	52
Display Technology	3 color E Ink Display
Active Display Area (mm)	74.51 × 49.67
Resolution (pixels)	360×240
Dot Matrix	Yes
Colors	Black/White/Red
Viewing Angle	Nearly 180°
Operating Temperature	0 - 40°C
Battery	CR2450×2
Battery Life Cycle	> 5 years
Waterproof Level	IPX65
Housing Color	White

SAMPLE PICTURE



4.2'' BWR

TECHNICAL DETAILS

Product Code	EA-42R
Communication Technology	2.4GHz Private Protocol
Transmission Range	Radius 30 m
Dimensions (mm)	103 × 92 × 13.1
Weight (g)	112
Display Technology	3 color E Ink Display
Active Display Area (mm)	84.80 × 63.60
Resolution (pixels)	400 × 300
Dot Matrix	Yes
Colors	Black/White/Red
Viewing Angle	Nearly 180°
Operating Temperature	0 - 40°C
Battery	CR2450×3
Battery Life Cycle	> 5 years
Waterproof Level	IPX65
Housing Color	White

SAMPLE PICTURE



5.83'' BWR

TECHNICAL DETAILS

Product Code	EA-58R
Communication Technology	2.4GHz Private Protocol
Transmission Range	Radius 30 m
Dimensions (mm)	140 × 117.5 × 13.1
Weight (g)	149
Display Technology	3 color E Ink Display
Active Display Area (mm)	118.78 × 88.22
Resolution (pixels)	648 x 480
Dot Matrix	Yes
Colors	Black/White/Red
Viewing Angle	Nearly 180°
Operating Temperature	0 - 40°C
Battery	CR2450×3
Battery Life Cycle	> 5 years
Waterproof Level	IPX65
Housing Color	White

SAMPLE PICTURE



7.5'' BWR

TECHNICAL DETAILS

Product Code	EA-75MR
Communication Technology	2.4GHz Private Protocol
Transmission Range	Radius 30 m
Dimensions (mm)	185 × 128.5 × 13.1
Weight (g)	232
Display Technology	3 color E Ink Display
Active Display Area (mm)	163.20 × 97.92
Resolution (pixels)	640 × 384
Dot Matrix	Yes
Colors	Black/White/Red
Viewing Angle	Nearly 180°
Operating Temperature	0 - 40°C
Battery	CR2450×4
Battery Life Cycle	> 5 years
Waterproof Level	IPX65
Housing Color	White

SAMPLE PICTURE



10.2'' BWR

TECHNICAL DETAILS

Product Code	EA-10MR
Communication Technology	2.4GHz Private Protocol
Transmission Range	Radius 30 m
Dimensions (mm)	234.9 × 175.4 × 14.4
Weight (g)	428.7
Display Technology	3 color E Ink Display
Colors	Black/White/Red
Active Display Area (mm)	215.50 × 143.68
Resolution (pixels)	960 × 640
Dot Matrix	Yes
Viewing Angle	Nearly 180°
Button	Page turning (support loop turning)
Operating Temperature	0 - 40°C
Battery	3000mAh Li-ion (Chargeable)
Charging Interface	Type-C, 5V/2A
Battery Life Cycle	1 year (fully-charged)
Housing Color	White

SAMPLE PICTURE



AP / BASE STATION

TECHNICAL DETAILS

Product Code	EA-62B
Dimensions (mm)	190 × 190 × 40
Communication Technology	2.4GHz Private Protocol
Batch Processing Mode	Yes
Batch Refresh Rate	0.3 sec/e Tag
Transmission Range	Radius 30 m
Maximum Connection	No limitation
Power Supply	POE/DC Supply
Transmitter	Built-In
Backend Configuration	Yes
ESL Communication	Support Multi Route Communication
Network Connection	Cable / Wi-Fi
Housing Color	White

SAMPLE PICTURE

